



## Project Portfolio

Through its 70 years of dedication to the energy and mining industries, The Bayou Companies, LLC has safely and successfully completed numerous projects. From standard projects to large and challenging ones, Bayou has a range of experience and expertise to assist you on your next project. We have put together a partial list of completed projects that allow you to see the many opportunities waiting for you at Bayou.

<b>Amoco Marlin</b>	240,000 feet of 10-inch and 12-inch OD fusion bond epoxy, buckle arrestor insertion, anode and anode taper installation
<b>ANR / Coastal Typhoon</b>	94,200 feet of 12-inch and 182,920 feet of 20-inch OD fusion bond epoxy, concrete weight coating, miscellaneous fabrication transitions, flex head assemblies, beveling and ID boring, TSA coating, anode installation
<b>BP Pompano</b>	50,000 feet of 8-5/8-inch .500 wall OD fusion bond epoxy coating reeled pipeline project
<b>BP Troika</b>	316,120 feet of 10-inch and 24-inch OD fusion bond epoxy coating and Sigma Armorcote
<b>British Borneo Allegheny</b>	152,000 feet of 12-inch, 16-inch and 20-inch OD fusion bond epoxy coating
<b>British Borneo Morpeth</b>	198,000 feet of 8-inch and 12-inch OD fusion bond epoxy, triple joint welding, buckle arrestor insertion, anode installation
<b>CenterPoint Energy</b>	660,000 feet fusion bond epoxy
<b>Cheniere Energy</b>	1,258,100 feet fusion bond epoxy, ID coating, concrete weight coating
<b>ChevronTexaco Gemini</b>	293,000 feet of 12-inch OD fusion bond epoxy coating, buckle arrestor Insertion, anode and anode taper installation
<b>ChevronTexaco Genesis</b>	161,500 feet of 14-inch OD fusion bond epoxy coating, 49 integral ring buckle arrestor insertions, 71 sleeve buckle arrestor insertions
<b>ChevronTexaco Malongo PL</b>	67,100 feet of 24-inch OD fusion bond epoxy, concrete weight coating
<b>ChevronTexaco Venice Gathering Expansion</b>	279,000 feet of 24-inch OD fusion bond epoxy
<b>CIG</b>	502,000 feet of 30-inch OD fusion bond epoxy, double joint fabrication
<b>Conoco Joliet</b>	65,000 feet of 8-inch and 12-inch OD fusion bond epoxy coating
<b>Cross Country</b>	227,200 feet of fusion bond epoxy coating
<b>Cross Country</b>	1,533,600 feet of fusion bond epoxy coating
<b>Crosstex Energy</b>	327,460 feet fusion bond epoxy and ARO coating
<b>Denbury</b>	258,425 ft. Concrete Weight Coating

<b>Dow Pipeline Project</b>	150,000 ft. of 8" and 26" OD Fusion Bond Epoxy, Multiple Joint Fabrication, Concrete Weight Coating
<b>Duke Energy Dauphine Island</b>	14,000 ft. of 8" and 200,880 ft. of 12" OD Fusion Bond Epoxy Coating
<b>Duke Energy</b>	118,000 ft. of 24" and 144,720 ft. of 30" OD Fusion Bond Epoxy and Concrete Weight Coating
<b>El Paso Cameron Highway</b>	140 Miles of 24" and 240 Miles of 30" OD Fusion Bond Epoxy and Concrete Weight Coating
<b>Energy Transfet</b>	990,886 ft of Fusion Bond Epoxy, ID Flowliner and Double Joint Fabrication
<b>Enron</b>	178,000 ft of Fusion Bond Epoxy, ID Flowliner and Double Joint Fabrication
<b>Enron Columbia</b>	OD Fusion Bonded Epoxy First major international project where Bayou Coating, LLC was involved in transporting coated pipe to a foreign destination. This required special handling
<b>Enron Florida Gas</b>	221,000 ft. of 30" and 36" OD Fusion Bonded Epoxy and Multiple Joint Fabrication
<b>Enron Florida Gas Ph IV</b>	146,600 ft. of 36" OD Fusion Bonded Epoxy and Multiple Joint Fabrication
<b>Enron Florida Gas Ph V</b>	221,000 ft. of 30" & 36" OD Fusion Bonded Epoxy and Multiple Joint Fabrication
<b>Enron Northern Border</b>	178,000 ft. of 30" OD Fusion Bonded Epoxy, ID Flowliner and Blast and Multiple Joint Fabrication
<b>Enserch Cooper</b>	640,000 ft. of 12" OD Fusion Bond Epoxy Coating First time non slip or rough coat was applied to provide a rough surface for the tensioners to grip.
<b>Enterprise</b>	903,800 ft. of 24" OD Fusion Bond Epoxy and Multiple Joint Fabrication
<b>Enterprise</b>	2,458,800 ft of Fusion Bond Epoxy and Concrete Weight Coatng
<b>Enterprise</b>	767,200 ft Fusion Bond Epoxy and Buckle Arrestor Insertion
<b>Enterprise Lou-Tex</b>	500,000 ft. of 12" OD Fusion Bond Epoxy Coating
<b>Enterprise Products</b>	211,000 ft. of 12" OD Fusion Bonded Epoxy and Concrete Weight Coating
<b>Exxon / Southern Nat. Gas Alabaster</b>	375,000' of 20" pipe OD Fusion Bonded Epoxy
<b>Exxon Diana</b>	1,694,000 ft. of 6", 10", 18" and 20" OD Fusion Bond Epoxy Coating, ID Flowliner & Blast, Quad Joint Fabrication (1100 - 6" & 10"), Buckle Arrestor Insertion, Anode & Anode Taper Installation and SCR Fabrication First simultaneous co-development of multiple deepwater fields. In water nearly a mile deep! This project was flawlessly executed with a seven times better than industry average safety record, more than \$100 million under budget, and ahead of schedule. The Hoover-Diana is the world's deepest surface-piercing oil and gas production platform with associated subsea tieback system The project had a record pipelay at a speed of over 4 miles per day.
<b>Exxon Heritage</b>	38,500 ft. of 12" OD Fusion Bond Epoxy Coating, Double Joint Fabrication
<b>Exxon</b>	150,000 ft. of 6" and 10" OD Fusion Bond Epoxy Coating, ID Flowliner & Blast, Buckle Arrestor Insertion,

<b>Marshall/Madison</b>	Anode and Anode Taper Installation and TSA coating
<b>Exxon Mica</b>	450,000 ft. of 8" and 12" OD Fusion Bond Epoxy Coating, ID Flowliner & Blast, Buckle Arrestor Insertion, Anode & Anode Taper Installation and TSA Coating
<b>Exxon Yellow Hammer</b>	1,000,000 ft. of 6", 8" and 10" OD Fusion Bond Epoxy Coating and Anode & Anode Taper Installation
<b>Florida Gas</b>	547,600 ft of 36" OD Fusion Bond Epoxy and Double Joint Fabrication
<b>Fluor Daniels Engr Mariquito</b>	163,000 ft. of 20" X65 Fusion Bond Epoxy Coating
<b>Gulf South P/L</b>	406,525 ft of 42" OD Fusion Bond Epoxy, ID Flowliner and Double Joint Fabrication
<b>Gulf South P/L</b>	279,983 ft of 42" OD Fusion Bond Epoxy, ID Flowliner and Double Joint Fabrication
<b>Ilva/ CMS Energy</b>	125,000 ft of Fusion Bond Epoxy and Double Joint Fabrication
<b>Kinder Morgan</b>	1,154,000 ft of 36" OD Fusion Bond Epoxy, ID Flowliner, Double Joint Fabrication
<b>Koch</b>	1,592,625 ft of Fusion Bond Epoxy and Concrete Weight Coating
<b>Lakehead Pipeline</b>	1,473,160 ft. of 20" X65 Fusion Bond Epoxy Coating
<b>Leviathon Manta Ray</b>	235,000 ft. of 14" OD Fusion Bond Epoxy Coating, Buckle Arrestor Insertion and Anode Installation
<b>Marathon Arnold</b>	88,000 ft. of 4" and 8" OD Fusion Bond Epoxy Reeled Pipeline Project
<b>Marathon Ewing Bank #873</b>	50,000 ft. of 8" OD Fusion Bond Epoxy
<b>Marathon Oyster</b>	100,000 ft of 6" and 10" Pipe-in-Pipe, Reeled Pipeline Project, OD Fusion Bond Epoxy Coating
<b>Marathon Ship-Shoal</b>	50,000' of 8-5/8" Reeled Pipeline Project OD Fusion Bond Epoxy Coating
<b>Northern Natural Gas</b>	146,100 ft of Fusion Bond Epoxy, ID Flow Liner and ARO Coating
<b>Ocean Energy Zia</b>	16 mile flowline of 5.563" .480w carrier pipe inside 10.75" x .438w casing pipe. OD Fusion Bond Epoxy, Multiple Joint Fabrication, Pipe-in-Pipe Insertion, Spray Applied PUF and Jacket. Reeled Pipeline Project.
<b>Petrohawk</b>	1,100,000 ft of Fusion Bond Epoxy Coating
<b>Plains Marketing</b>	499,685 ft. Fusion Bond Epoxy, ARO and Concrete Weight Coating
<b>Reliant Energy</b>	130,000 ft Fusion Bond Epoxy Coating
<b>Sempra Energy</b>	131,100 ft Fusion Bond Epoxy, ARO and ID Flowliner
<b>Sempra Energy</b>	202,100 ft Fusion Bond Epoxy, ID Flowliner and Concrete Weight Coating
<b>Shell Amberjack</b>	531,900 ft of 20" and 24" OD Fusion Bond Epoxy Coating

<b>Shell Auger</b>	951,100 ft. of 12", 14", 16" and 20" OD Fusion Bond Epoxy Coating, ID Flowliner & Blast, Quad Joint Fabrication, Buckle Arrestor Insertion, Anode and Anode Taper Installation Worlds 1st application of J-lay pipelay technology. Set Gulf of Mexico pipelay water depth record at time of construction.
<b>Shell Auger III</b>	111,700' of 12" FusionBond Epoxy Coating.
<b>Shell Barracuda</b>	370,000 ft. of 20" OD Fusion Bond Epoxy Coating, Buckle Arrestor Insertion, Anode and Anode Taper Installation
<b>Shell Brutus</b>	264,000 ft. of 20" OD Fusion Bond Epoxy Coating, ID Flowliner & Blast, 197 Welded Buckle Arrestors with Anodes, 140 Sleeve Type Buckle Arrestors and Concrete Weight Coating
<b>Shell Bud</b>	80,000 ft. of 4" OD Fusion Bond Epoxy Coating and ID Flowliner & Blast
<b>Shell Bullwinkle to Boxer</b>	45,000' of 16" OD Fusion Bond Epoxy Coating, Buckle Arrestor Insertion Completed in 1997 for Green Canyon 64, 65 and 109 at 1,353' water depth Worlds tallest fixed platform in 1998
<b>Shell Cinnamon</b>	78,000 ft. of 6" and 8" OD Fusion Bond Epoxy Coating Deepest Tripod Jacket in the World at Installation
<b>Shell Cobia</b>	239,000 ft. of 20" x .500 wall OD Fusion Bond Epoxy Coating, Buckle Arrestor Insertion, Anode and Anode Taper Installation
<b>Shell Cognac</b>	131,600' of 12" OD Fusion Bond Epoxy Coating
<b>Shell Concha / Lou-Tex</b>	1,400,000 ft. of 10" OD Fusion Bond Epoxy Coating
<b>Shell Crosby</b>	186,000' of 8" and 12" OD Fusion Bond Epoxy Coating, ID Flowliner & Blast, Quadruple Joint Fabrication, Buckle Arrestor Insertion, Anode & Anode Taper Installation, Polyurethane Foam Insulation and Jacket, Transition Joint Insulation, Insulation Half Shells for Offshore Field Joints, Pipe-in-Pipe Insertion
<b>Shell E &amp; P</b>	236,000 ft of Fusion Bond Epoxy, Buckle Arrestor Insertion and Concrete Weight Coating
<b>Shell E &amp; P</b>	236,000 ft of Fusion Bond Epoxy and Buckle Arrestor Insertion
<b>Shell Enchilada</b>	236,000 ft. of 30" x .688w OD Fusion Bond Epoxy Coating, Buckle Arrestor Insertion, Anode & Anode Taper Installation, Concrete Weight Coating
<b>Shell Europa</b>	356,000 ft. of 8" and 12" OD Fusion Bond Epoxy Coating, ID Flowliner & Blast, PIP, Bulkhead and SCR Quad Joint Fabrication, Buckle Arrestor Insertion, Anode & Anode Taper Installation, Polyurethane Foam Insulation and Jacket, Pipe-in-Pipe Insertion and SCR Fabrication.
<b>Shell Habanero</b>	Double 12 Mile Flowlines of 6.625" x .719 wall carrier pipe inside 10.75" .438 wall casing pipe OD Fusion Bond Epoxy Coating, Quadruple Joint Fabrication, Pipe-in-Pipe Insertion, Spray Applied PUF and PE Jacket
<b>Shell Hickory</b>	116,160 ft. of 20" OD Fusion Bond Epoxy Coating, Anode Installation and Concrete Weight Coating
<b>Shell King</b>	33,000 ft. of 5" OD Fusion Bond Epoxy Coating, Quad Joint Fabrication and application of C-THERM Cast-on-Pipe Epoxy Syntactic Foam Insulation. for Dual 3 Mile Flow Lines. First Major Subsea Piping System to be Insulated by the C-Therm Cast-on-Pipe Process
<b>Shell Llano</b>	12" & 8" Pipe-in-Pipe Subsea Flowlines connecting to Auger

<b>Shell Macaroni</b>	136,000 ft. of 6" and 136,000 ft. of 10" OD Fusion Bond Epoxy Coating, ID Flowliner & Blast, Multiple Joint Fabrication, Buckle Arrestor Insertion, Anode and Anode Taper Installation, Polyurethane Foam Insulation & Jacket, Pipe-in-Pipe Insertion and Insulation Half Shells for Offshore Field Joints. First Deepwater J-Lay Pipe-in-Pipe in the Gulf of Mexico
<b>Shell Manatee</b>	Twin 10 mile flowlines of 6.6256" x .625 wall carrier pipe inside 10.75" x .625 wall casing pipe. OD Fusion Bond Epoxy Coating, Multiple Joint Fabrication, Pipe-in-Pipe Insertion, Polyurethane Foam Insulation and Jacket
<b>Shell Mensa</b>	429,000 ft. of 6" and 12" OD Fusion Bond Epoxy Coating, ID Flowliner & Blast, Quad Joint Fabrication, Buckle Arrestor Insertion, and Anode & Anode Taper Installation for Reeled Pipeline Project Deepest subsea completion to date on the Gulf of Mexico (July 1998)
<b>Shell Mars</b>	OD Fusion Bond Epoxy Coating, Fabrication of 844 - 14" Quadruple Joints and 833 - 18" Quadruple Joints, Buckle Arrestor Insertion, Anode Installation. Set deepwater installation record at time of installation.
<b>Shell Mississippi Canyon Gas Gathering System</b>	236,000' of 30" x .562 wall OD Fusion Bond Epoxy Coating, Buckle Arrestor Insertion, and Anode Installation
<b>Shell Odyssey</b>	260,850 ft. of 16" OD Fusion Bond Epoxy Coating
<b>Shell Oil</b>	441,000 ft of Fusion Bond Epoxy, ARO and Concrete Weight Coating
<b>Shell P/L</b>	263,000 ft of Fusion Bond Epoxy and Buckle Arrestor Insertion
<b>Shell Popeye</b>	250,500 ft. of 6" OD Fusion Bond Epoxy Coating and ID Flowliner & Blast for Reeled Pipeline Project
<b>Shell Ram Powell</b>	231,000 ft. of 12" and 14" OD Fusion Bond Epoxy Coating and ID Flowliner & Blast, Quad Joint Fabrication, Buckle Arrestor Insertion, Anode and Anode Taper Installation This project surpassed the depth of Mars!
<b>Shell Rocky</b>	96,000 ft. of 3" and 6" OD Fusion Bond Epoxy Coating and ID Flowliner & Blast Pipe-in-Pipe for Reeled Pipeline Project
<b>Shell Salsa</b>	12" and 14" pipe OD Fusion bond Epoxy Coating
<b>Shell Serrano and Oregano</b>	165,000 ft. of 6" casing pipe and 10.75" carrier pipe OD Fusion Bond Epoxy Coating, ID Flowliner and Blast, Multiple Joint Fabrication, Buckle Arrestor Insertion, Anode and Anode Taper Installation, Polyurethane Foam Insulation and Jacket, Pipe-in-Pipe Insertion and SCR Fabrication.
<b>Shell Tahoe II</b>	375,340 ft. of 4", 6" and 8" OD Fusion Bond Epoxy Coating and ID Flowliner & Blast Reeled Pipeline Project
<b>Shell Ursa</b>	491,000 ft. of 18" and 20" OD Fusion Bond Epoxy Coating, ID Flowliner & Blast, Quad Joint Fabrication, Buckle Arrestor Insertion, Anode & Anode Taper Installation and SCR Quad Fabrication
<b>Spinnaker</b>	44,000 ft of 12" OD Fusion Bond Epoxy and 1.50" of 165# Concrete Weight Coating
<b>Stupp / Anadarko</b>	260,000 ft of Fusion Bond Epoxy and ID Flowliner Coating
<b>Stupp / CenterPoint</b>	124,850 ft of Fusion Bond Epoxy and ARO Coating
<b>Stupp / Denbury</b>	1,759,000 ft of Fusion Bond Epoxy Coating
<b>Stupp / El Paso</b>	925,280 ft of Fusion Bond Epoxy, ARO and Concrete Weight Coating

<b>Stupp / Sonoco</b>	126,720 ft of Fusion Bond Epoxy Coating
<b>Stupp / Sonoco</b>	300,000 ft of Fusion Bond Epoxy Coating
<b>Tenaris / El Paso</b>	305,900 ft of Fusion Bond Epoxy and Double Joint Fabrication
<b>Tennessee Gas Pipeline Viasca Knoll Gas Gathering</b>	132,000 ft. of 20" OD Fusion Bond Epoxy Coating
<b>Texaco</b>	216,500 ft of Fusion Bond Epoxy Coating
<b>Texaco British Gas Trinidad</b>	216,500' of 24" OD Fusion Bond Epoxy Coating
<b>Texaco Discovery</b>	828,000 ft. of 18", 20", 24" and 30" OD Fusion Bond Epoxy Coating Deepest 30" pipeline and riser in Gulf of Mexico at time of installation!
<b>Texaco Petronius</b>	260,950 ft. of 16" OD Fusion Bond Epoxy Coating
<b>Texas Gas</b>	962,000 ft of Fusion Bond Epoxy, ID Flowliner and Double Joint Fabrication
<b>Total Fina Elf Canyon Express</b>	616,520 ft of 12" and 17,800 ft of 6" OD Fusion Bond Epoxy Coating, Buckle Arrestor Insertion and Multiple Joint Fabrication
<b>TransCanada Express Pipeline</b>	1,599,416 (302 miles) of 24" OD Fusion Bond Epoxy Coating
<b>TransCanada Merida Project</b>	875,440 ft. of 22" and 656,000 ft. of 24" OD Fusion Bond Epoxy
<b>TransCanada P/L</b>	272,634 ft of Fusion Bond Epoxy and Double Joint Fabrication
<b>TransCanada P/L</b>	2,269,105 ft of Fusion Bond Epoxy and Double Joint Fabrication
<b>TransCanada P/L</b>	249,350 ft of Fusion Bond Epoxy Coating
<b>TransCanada P/L</b>	800,000 ft of Fusion Bond Epoxy and Double Joint Fabrication
<b>TransCanada Tuscarora Pipeline</b>	225,000 ft. of 20" OD Fusion Bond Epoxy Coating
<b>TransColorado Pipeline</b>	1,379,160 ft. of 22" and 90,744 ft. of 24" OD Fusion Bond Epoxy Coating
<b>Universal Ensco</b>	422,000 ft of Fusion Bond Epoxy Coating
<b>Williams Field Services</b>	6,800 ft. of 20" and 2,500 ft. of 18" and 132,000 ft of 12" OD Fusion Bond Epoxy Coating and Concrete Weight Coating
<b>Williams Mountaineer</b>	267,000 ft of 20" OD Fusion Bond Epoxy Coating and Concrete Weight Coating